



# LAMP<sup>02</sup>



## PARTS

---

(A) ×1 PCE



(B) ×1 PCE



(C) ×1 PCE



(D1) ×1 PCE 20mm



(D2) ×1 PCE 25mm



(D3) ×1 PCE 30mm



(D4) ×1 PCE 35mm



(D5) ×1 PCE 40mm



## TOOLS

---

**T1** ×1 PCE NOT INCLUDED



**T2** ×1 PCE



### GENERAL NOTES


BEFORE INSTALLATION,  
ALL MEASUREMENTS AND  
CONDITIONS MUST BE  
VERIFIED ON SITE.  
NEITHER FORMING  
FUNCTION NOR ANY OF ITS  
DISTRIBUTORS CAN BE  
HELD LIABLE FOR PRODUCT  
MALFUNCTION OR OTHER  
DEFECTS AS A RESULT OF  
IMPROPER INSTALLATION.

### GENERAL NOTES

AVANT L'INSTALLATION,  
TOUTES LES DIMENSIONS ET  
CONDITIONS DOIVENT ÊTRE  
VÉRIFIÉES SUR PLACE.NI  
FORMING FUNCTION NI SES  
PARTENAIRES COMMERCIAUX  
NE  
PEUVENT ÊTRE TENUS  
RESPONSABLES DES DÉFAUTS  
DU PRODUIT OU D'AUTRES  
DÉFAUTS POUVANT ÊTRE  
ATTRIBUÉS À UNE MAUVAISE  
INSTALLATION.

### GENERAL NOTES

VOR DEM EINBAU SIND ALLE  
MASSE UND BEDINGUNGEN  
BAUSEITS ZU PRÜFEN.WEDER  
FORMING FUNCTION NOCH  
SEINE VERTRIEBSPARTNER  
KÖNNEN FÜR PRODUKTFEHLER  
ODER SONSTIGE MÄNGEL,  
DIE AUF UNSACHGEMÄSSE  
INSTALLATION  
ZURÜCKZUFÜHREN SIND,  
HAFTBAR GEMACHT WERDEN



# LAMP<sup>02</sup>

ADJUSTABLE WORK LAMP, TABLE MOUNTED, VELVET BLACK / SOFT WHITE

## **ART. NO**

8101000209  
8101000201

VELVET BLACK  
SOFT WHITE

## **PRODUCT DATA**


|                            |                       |
|----------------------------|-----------------------|
| COLOR TEMPERATURE          | 3000K - 4000K - 6000K |
| COLOR RENDERING INDEX      | 95                    |
| LIGHT SOURCE LUMINOUS FLOW | 1329 lm               |
| LIGHT SOURCE EFFICIENCY    | 63 lm/W               |
| LED LIFE EXPECTANCY        | 50 000 h              |

## FORMING FUNCTION


Good design is based on human experience. That is why we promise to put as much love into creating technology that works, as something designed to be seamless, cherished and loved - we don't compromise on function or form.



---

**STEP 1**




---

**STEP 2**

|    |                                                                                   |           |
|----|-----------------------------------------------------------------------------------|-----------|
| D1 |  | 12 - 20mm |
| D2 |  | 18 - 26mm |
| D3 |  | 24 - 30mm |
| D4 |  | 28 - 36mm |
| D5 |  | 34 - 40mm |




**STEP 3**




---

**STEP 4**




---

## SETTINGS




---

## MOTION SENSOR



---

## MOTION SENSOR



2 FLASHES = ON  
3 FLASHES = OFF

PIONEERS IN MAKING  
TECHNICAL ACCESSORIES  
BEAUTIFUL

