

PRODUCT DATA SHEET ART. NO 98080532nn

NOMAD STRIP 03



Product overview

See user manual for assembly instructions



Product dimensions

See user manual for assembly instructions






Table dimensions

See user manual for assembly instructions





Colours



SIGNAL BLACK RAL 9004 DEEP MATTE, FINE STRUCTURE ART. NO 9808053209



WHITE ALUMINIUM GREY RAL 9006 MATTE, FINE STRUCTURE ART. NO 9808053202



BLACK RED RAL 3007 DEEP MATTE, FINE STRUCTURE ART. NO 9808053206



STONE CYPRESS GREEN RAL 160 50 15 DEEP MATTE, FINE STRUCTURE ART. NO 9808053205



VIOLET BLUE RAL 5000 MATTE, FINE STRUCTURE ART. NO 9808053204



VERMILION RED RAL 2002 MATTE, FINE STRUCTURE ART. NO 9808053211

NOMAD STRIP 03

2 SOCKET TYPE F, 1 USB-C DUAL-PORT CHARGER, 30W, GST18i3

Technical data

| INTERFACE | 2 SOCKET TYPE F, 1 USB-C DUAL-PORT CHARGER |
|--|--|
| USB-C CHARGER OUTPUT | PD3.0: 5V 3A / 9V 3A / 12V 2A /15 2A / 2O 1,5A |
| USB-C CHARGER OUTPUT MAX | 30 W |
| RATED VOLTAGE | 250V |
| RATED CURRENT | 16A |
| OUTPUT W MAX | 3500W |
| CABLE AND CONNECTOR | 3x1,5mm², ~0,2m, GST-18i3 PLUG |
| MATERIAL OUTER CASING | RECYCLED ALUMINIUM |
| MATERIAL BOTTOM PLATE AND ENCLOSED ITEMS | STEEL |
| MATERIAL INNER COMPONENTS | PP AND PA6.6 |
| FINISH | POWDER COATED |
| PROTECTION CLASS | IP20 |
| MAX TABLE THICKNESS | 55mm |
| CERTIFICATIONS | CE, RoHS COMPLIANT |
| WARRANTY PERIOD | 3 YEARS |

Read before installation and usage



Do not cover

Electrical products may only be daisy-chained if integrated into a fixed installation. Normal power sockets may not be used for the connection to further socket rails.



Incorrect installation may endanger:

- Safety of the installer
- Safety of the end-user and safety of the property. Incorrect installation may result in personal liability for damage of property or injury to persons.



Electronic equipment is recyclable and should not be disposed of with household waste, if the device has reached the end of its life, dispose of at the recycling points in accordance with local regulations. Disposal with household waste is prohibited



The device may only be used in a dry indoor environment.

For safe installation please ensure the following:

- The 5 safety rules to apply: Disconnect mains; Prevent reconnection; Test for absence of harmful voltages; Ground and short circuits; Cover or close off nearby live parts;
- Choose proper tools, measuring devices and personal protective equipment
- Analyse measured results
- Selection of electrical installation material to ensure switchoff conditions
- IP protection ratings
- Fitting of electrical installation material;
- Type of the feeding system (TN system, IT system, TT system...) and the resulting switching conditions (classic zeroing, protective earthing, necessary additional measures, etc.).



RoHS Compliant