



LAMP⁰¹



PARTS

(A) ×1 PCE



(B) ×1 PCE



(C) ×1 PCE



(D1) ×1 PCE 30mm



(D2) ×1 PCE 35mm



(D3) ×1 PCE 40mm



(D4) ×1 PCE 45mm



TOOLS

T1 ×1 PCE NOT INCLUDED



T2 ×1 PCE



GENERAL NOTES


BEFORE INSTALLATION, ALL MEASUREMENTS AND CONDITIONS MUST BE VERIFIED ON SITE. NEITHER FORMING FUNCTION NOR ANY OF ITS DISTRIBUTORS CAN BE HELD LIABLE FOR PRODUCT MALFUNCTION OR OTHER DEFECTS AS A RESULT OF IMPROPER INSTALLATION.

GENERAL NOTES

AVANT L'INSTALLATION, TOUTES LES DIMENSIONS ET CONDITIONS DOIVENT ÊTRE VÉRIFIÉES SUR PLACE. NI FORMING FUNCTION NI SES PARTENAIRES COMMERCIAUX NE PEUVENT ÊTRE TENUS RESPONSABLES DES DÉFAUTS DU PRODUIT OU D'AUTRES DÉFAUTS POUVANT ÊTRE ATTRIBUÉS À UNE MAUVAISE INSTALLATION.

GENERAL NOTES

VOR DEM EINBAU SIND ALLE MASSE UND BEDINGUNGEN BAUSEITS ZU PRÜFEN. WEDER FORMING FUNCTION NOCH SEINE VERTRIEBSPARTNER KÖNNEN FÜR PRODUKTFEHLER ODER SONSTIGE MÄNGEL, DIE AUF UNSACHGEMÄSSE INSTALLATION ZURÜCKZUFÜHREN SIND, HAFTBAR GEMACHT WERDEN



LAMP⁰¹

ADJUSTABLE WORK LAMP, DESK SCREEN MOUNTED, VELVET BLACK / SOFT WHITE

ART. NO

8101000109
8101000101

VELVET BLACK
SOFT WHITE


PRODUCT DATA

COLOR TEMPERATURE	3000K - 4000K - 6000K
COLOR RENDERING INDEX	95
LIGHT SOURCE LUMINOUS FLOW	1329 lm
LIGHT SOURCE EFFICIENCY	63 lm/W
LED LIFE EXPECTANCY	50 000 h


FORMING FUNCTION



Good design is based on human experience. That is why we promise to put as much love into creating technology that works, as something designed to be seamless, cherished and loved - we don't compromise on function or form.


STEP 1





STEP 2




D1		8 - 13mm
D2		13 - 18mm
D3		18 - 23mm
D4		23 - 28mm




D1		27 - 32mm
D2		32 - 37mm
D3		37 - 42mm
D4		42 - 47mm

STEP 3




Holes in brackets for fixed installation.
Contact info@FormingFunction.se for more information.


STEP 4




SETTINGS



MOTION SENSOR



MOTION SENSOR



2 FLASHES = ON
3 FLASHES = OFF

PIONEERS IN MAKING
TECHNICAL ACCESSORIES
BEAUTIFUL

